
SQL Cheat Sheet

Mosh Hamedani



Code with Mosh (codewithmosh.com)

1st Edition

About this Cheat Sheet

This cheat sheet includes the materials I've covered in my SQL tutorial for Beginners on YouTube.

https://youtu.be/7S_tz1z_5bA

Both the YouTube tutorial and this cheat cover the core language constructs and they are not complete by any means.

If you want to learn everything SQL has to offer and become a SQL expert, check out my Complete SQL Mastery Course.

Use the **coupon code CHEATSHEET** upon checkout to get this course with a 90% discount:

<https://codewithmosh.com/p/complete-sql-mastery/>

About the Author



Hi! My name is Mosh Hamedani. I'm a software engineer with two decades of experience and I've taught over three million how to code or how to become a professional software engineer. It's my mission to make software engineering simple and accessible to everyone.

<https://codewithmosh.com>

<https://youtube.com/user/programmingwithmosh>

<https://twitter.com/moshhamedani>

<https://facebook.com/programmingwithmosh/>

<i>Basics</i>	5
<i>Comments</i>	5
<i>SELECT Clause</i>	5
<i>WHERE Clause</i>	6
<i>Logical Operators</i>	6
<i>IN Operator</i>	7
<i>BETWEEN Operator</i>	7
<i>LIKE Operator</i>	7
<i>REGEXP Operator</i>	7
<i>IS NULL Operator</i>	8
<i>ORDER BY Clause</i>	8
<i>LIMIT Clause</i>	8
<i>Inner Joins</i>	9
<i>Outer Joins</i>	9
<i>USING Clause</i>	9
<i>Cross Joins</i>	9
<i>Unions</i>	10
<i>Inserting Data</i>	10
<i>Want to Become a SQL Expert?</i>	10

Basics

```
USE sql_store;
```

```
SELECT *  
FROM customers  
WHERE state = 'CA'  
ORDER BY first_name  
LIMIT 3;
```

- SQL is **not** a case-sensitive language.
- In MySQL, every statement must be terminated with a semicolon.

Comments

We use comments to add notes to our code.

```
-- This is a comment and it won't get executed.
```

SELECT Clause

```
-- Using expressions
```

```
SELECT (points * 10 + 20) AS discount_factor  
FROM customers
```

Order of operations:

- Parenthesis
- Multiplication / division
- Addition / subtraction

```
-- Removing duplicates
```

```
SELECT DISTINCT state  
FROM customers
```

WHERE Clause

We use the WHERE clause to filter data.

Comparison operators:

- Greater than: >
- Greater than or equal to: >=
- Less than: <
- Less than or equal to: <=
- Equal: =
- Not equal: <>
- Not equal: !=

Logical Operators

```
-- AND (both conditions must be True)
SELECT *
FROM customers
WHERE birthdate > '1990-01-01' AND points > 1000
```

```
-- OR (at least one condition must be True)
SELECT *
FROM customers
WHERE birthdate > '1990-01-01' OR points > 1000
```

```
-- NOT (to negate a condition)
SELECT *
FROM customers
WHERE NOT (birthdate > '1990-01-01')
```

IN Operator

```
-- Returns customers in any of these states: VA, NY, CA
SELECT *
FROM customers
WHERE state IN ('VA', 'NY', 'CA')
```

BETWEEN Operator

```
SELECT *
FROM customers
WHERE points BETWEEN 100 AND 200
```

LIKE Operator

```
-- Returns customers whose first name starts with b
SELECT *
FROM customers
WHERE first_name LIKE 'b%'
```

- %: any number of characters
- _: exactly one character

REGEXP Operator

```
-- Returns customers whose first name starts with a
SELECT *
FROM customers
WHERE first_name REGEXP '^a'
```

- ^: beginning of a string
- \$: end of a string
- |: logical OR
- [abc]: match any single characters
- [a-d]: any characters from a to d

More Examples

```
-- Returns customers whose first name ends with EY or ON  
WHERE first_name REGEXP 'ey$|on$'
```

```
-- Returns customers whose first name starts with MY  
-- or contains SE  
WHERE first_name REGEXP '^my|se'
```

```
-- Returns customers whose first name contains B followed by  
-- R or U  
WHERE first_name REGEXP 'b[ru]'
```

IS NULL Operator

```
-- Returns customers who don't have a phone number  
SELECT *  
FROM customers  
WHERE phone IS NULL
```

ORDER BY Clause

```
-- Sort customers by state (in ascending order), and then  
-- by their first name (in descending order)  
SELECT *  
FROM customers  
ORDER BY state, first_name DESC
```

LIMIT Clause

```
-- Return only 3 customers  
SELECT *  
FROM customers  
LIMIT 3
```

```
-- Skip 6 customers and return 3
SELECT *
FROM customers
LIMIT 6, 3
```

Inner Joins

```
SELECT *
FROM customers c
JOIN orders o
  ON c.customer_id = o.customer_id
```

Outer Joins

```
-- Return all customers whether they have any orders or not
SELECT *
FROM customers c
LEFT JOIN orders o
  ON c.customer_id = o.customer_id
```

USING Clause

If column names are exactly the same, you can simplify the join with the USING clause.

```
SELECT *
FROM customers c
JOIN orders o
  USING (customer_id)
```

Cross Joins

```
-- Combine every color with every size
SELECT *
FROM colors
CROSS JOIN sizes
```

Unions

-- Combine records from multiple result sets

```
SELECT name, address
```

```
FROM customers
```

```
UNION
```

```
SELECT name, address
```

```
FROM clients
```

Inserting Data

-- Insert a single record

```
INSERT INTO customers(first_name, phone, points)
```

```
VALUES ('Mosh', NULL, DEFAULT)
```

-- Insert multiple single records

```
INSERT INTO customers(first_name, phone, points)
```

```
VALUES
```

```
    ('Mosh', NULL, DEFAULT),
```

```
    ('Bob', '1234', 10)
```

Want to Become a SQL Expert?

If you're serious about learning SQL and getting a job as a software developer or data scientist, I highly encourage you to enroll in my Complete SQL Mastery Course. Don't waste your time following disconnected, outdated tutorials. My Complete SQL Mastery Course has everything you need in one place:

- 10 hours of HD video
- Unlimited access - watch it as many times as you want
- Self-paced learning - take your time if you prefer
- Watch it online or download and watch offline
- Certificate of completion - add it to your resume to stand out
- 30-day money-back guarantee - no questions asked

The price for this course is \$149 but the first 200 people who have downloaded this cheat sheet can get it for \$12.99 using the coupon code **CHEATSHEET**:

<https://codewithmosh.com/p/complete-sql-mastery/>